



Scan to watch the video
of our Lull Pod

LULL

PRIVACY POD



REIMAGINE YOUR WORK ENVIRONMENT

Create a dynamic office that embraces the growing need for privacy and peace while still maintaining the open-plan layout.

With these office pods, it's definitely easier to be more productive at work!



MOTION SENSOR



UNIVERSAL ELECTRICAL
SOCKETS



USB
(TYPE-A & TYPE-C)



LED



SILENT



VENTILATION
(20 FPM)



MOVABLE



AUTO DOOR CLOSER
DE-GLASS



TEMPERED GLASS



LAMINATED
TEMPERED GLASS


The Need For Privacy Pods

With a surge in popularity of open-concept office designs in recent years, more companies are exploring ways to reduce distractions and increase productivity at the workplace. Offices are also becoming more communal, resulting in fewer spaces to take a call or hold meetings in private. With our vast experience in managing corporate projects, we understand not every office is built the same...

The Solution: Lull Privacy Pod

Available in 7 different sizes, including optional add-ons and customisable colours, to add personality to your office space. Continue browsing to discover which pod is right for your office.

Phone Calls



Suitable for


Recording Sessions




Collaborations & Meetings



Solo Work



Entertainment & Relaxation



Scan to watch our
sound test video

We put our pod to a test and sure enough, it passed! Listen to how the volume of the music is reduced significantly after the door closes.

A Pod For Every Need

Be it a phone call, a video conference, a co-working session, or even a job interview - there is a pod that caters to the unique needs of each work scenario.

7 Available Sizes

1 Phone

ECONOMIC & STANDARD
OPTIONS



Outer: W950 x D950 x H2200mm
Inner: W820 x D820 x H2070mm

2 Solo

ECONOMIC & STANDARD
OPTIONS



Outer: W1200 x D1200 x H2200mm
Inner: W1070 x D1070 x H2070mm

3 Relax

STANDARD OPTION
ONLY



Outer: W1575 x D1200 x H2200mm
Inner: W1445 x D1070 x H2070mm

4 Solo Plus

STANDARD OPTION
ONLY



Outer: W1750 x D1750 x H2200mm
Inner: W1620 x D1620 x H2070mm

5 Cowork

ECONOMIC & STANDARD
OPTIONS



Outer: W1750 x D1200 x H2200mm
Inner: W1620 x D1070 x H2070mm

6 Talk

ECONOMIC & STANDARD
OPTIONS



Outer: W2200 x D1200 x H2200mm
Inner: W2070 x D1070 x H2070mm

7 Talk Plus

ECONOMIC & STANDARD
OPTIONS



Outer: W2200 x D1750 x H2200mm
Inner: W2070 x D1620 x H2070mm


Our Pod Knows How You Work Best

Get more out of your office space with these privacy pods that allow you to work your best. Here are the fundamental values that our pods can bring to your office.




EASILY RECONFIGURE YOUR OPEN-PLAN SPACE

Get more out of your office space with these privacy pods that allow you to work your best. Here are the fundamental values that our pods can bring to your office.




GOT A CALL AND STARTED WHISPERING THROUGH THE CONVERSATION?

Privacy is critical for most standard work functions, even something as simple as a phone call. Foster a comfortable environment for your employees to perform tasks that require privacy with our pods. With the right acoustics, private conversations are kept within the pod and external noise is reduced.




A MICRO-ENVIRONMENT FOR YOU TO STAY PRODUCTIVE

Indulge in total concentration in this dedicated, private workspace that gives you the freedom to be yourself and focus on the task at hand. The environment is cosy and comfortable without any distraction, sensory overload, or a nosy colleague!



PET PANELS STAMPED WITH A SUPERIOR ACOUSTIC RATING, FIRE-RETARDANT

Keep the noisy soundscape of the office out of your recording. Our noise-cancelling technology ensures that external noise is reduced and not captured by a microphone. Also, with a sound absorption coefficient of $\alpha = 1$, acoustic energy is totally absorbed by the PET inner walls with minimal echo produced. Perfect for audio or video recording sessions without the white noise!




LIGHTINGS FOR TWO DIFFERENT SETTINGS

Set the tone of the space with soft, ambient lighting that is produced by two LED light strips on both sides of the pod. For a well-lit workspace, switch on the essential light that is powered by LED light strip(s) in the middle.



TWO ELECTRICAL SOCKETS AND USB PORTS FOR POWER SUPPLY

Your electrical devices are guaranteed to stay charged up with the attached power panel. Don't worry about bringing the wrong cable as you are given varying options - universal electrical sockets as well as type-A and type-C USB charging ports.



QUALITY AIR EMISSION TO MAINTAIN A WELL-VENTILATED SPACE

The confined space stays well-ventilated with fresh air changing every 1-2 min so that stale air is filtered out. With fans blowing at 900rpm, the space is kept cool and fresh, ensuring the optimal working environment for you.



MOTION-ACTIVATED VENTILATION FAN AND LIGHTING

No need for complicated steps to operate the pod! This user-friendly space immediately switches on when you enter. Complemented with an adjustable delay timer, our pod turns to power-saving mode automatically when no movement is detected.



CASTOR WHEELS FOR MOBILITY; ADJUSTABLE FEET FOR STABILITY

Move it easily and keep it stable with the adjustable feet, even on unlevelled ground. While the pod is not fixed to the floor, it proves to be a fixed asset that's more economical than building a permanent room.



ROBUST DOOR CLOSER FROM HONEYWELL

The door of our bigger pods come with a strong and reliable door closer that provides smooth and a soft-closing action. This innovative self-closing hardware ensures that the door of the pod is not left ajar to maintain a private and soundproof environment. Door closes slowly and eventually shuts itself tight. Included for "#5 CoWork", "#6 Talk" and "#7 Talk Plus" sizes. Upgradeable for other sizes.



Learn more about Lull Pod from our website

Features At A Glance

Our pods are fully equipped with high quality components to create a quintessential space for ultimate privacy and productivity.



Certified For Your Peace of Mind



Superior Acoustic Rating

TÜV SÜD's Acoustic Testing has certified our products to have a Noise Isolation Class (NIC) of 30. This means that you can expect superior sound reduction quality and whatever conversation you hold inside the pod will not be heard on the outside.



High Air Quality Rating

They have a Formaldehyde Emission rating of 0.028 mg/m³ (safety limit: 1 mg/m³), certified by SGS. This ensures that you are not breathing in toxic substances when using the pod.

FREE
DELIVERY &
INSTALLATION

3 YEARS
STRUCTURE
WARRANTY

1 YEAR
ELECTRICAL
WARRANTY

LOCAL
AFTER-SALES
SUPPORT

The ideal privacy pod that's suitable for individuals who just need a dedicated space for making phone calls and a table ledge to jot down quick notes from the phone conversation. The acoustic inner PET walls cut out distracting noises from outside the pod as well as ensuring your conversation over the phone is kept within the pod.

Size

Outer: W950 x D950 x H2200mm
Inner: W820 x D820 x H2070mm

Number of Pax

1

Weight

320kg

Ventilation

- Air Circulation: 90m³/h
- Change of Air: Every 1 minute
- Number of Fans: 1 top + 1 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 5W LED light strip at 2 sides as ambience light (motion sensor)
- 1 x 5W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Excluded; Upgradeable. Brand: Honeywell

Included Fixture(s)

1 x high table ledge



Dimensions:





See more pictures
of Phone



The Solo Pod celebrates the idea of solitary working, which lets individuals who prefer having a personal space to think and brainstorm ideas. This pod is spacious enough to fit a good size office chair any solo thinker needs for better concentration.

Size

Outer: W1200 x D1200 x H2200mm
Inner: W1070 x D1070 x H2070mm

Number of Pax

1

Weight

380kg

Ventilation

- Air Circulation: 90m³/h
- Change of Air: Every 2 minutes
- Number of Fans: 1 top + 1 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 9W LED light strip at 2 sides as ambience light (motion sensor)
- 1 x 9W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Excluded; Upgradeable. Brand: Honeywell

Included Fixture(s)

1 x table ledge



Dimensions:





See more pictures
of Solo



The Relax Pod features ample space to fit a sofa, table, and even a pouf. The ideal pod size for individuals who prefer working in a laidback setting.

Need a break? Sit back, put on your favourite video, and be immersed in a full me-time mood.

Size

Outer: W1575 x D1200 x H2200mm

Inner: W1445 x D1070 x H2070mm

Number of Pax

1

Weight

430kg

Ventilation

- Air Circulation: 90m³/h
- Change of Air: Every 1 minute
- Number of Fans: 2 top + 2 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 9W LED light strip at 2 sides as ambience light (motion sensor)
- 1 x 9W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: N/A

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: N/A

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Excluded; Upgradeable. Brand: Honeywell

Included Fixture(s)

N/A



Dimensions:





See more pictures
of Relax



Fancy a solitary working style and at the same time need the space for stretching from time to time? The Solo Plus Pod might be what you are looking for. The wide width of this pod fits a regular-sized work table so you get more than just a table ledge space. With the option of even using a height adjustable table, user of the pod are able to switch between sitting or standing anytime.

Size

Outer: W1750 x D1750 x H2200mm
Inner: W1620 x D1620 x H2070mm

Number of Pax

1

Weight

470kg

Ventilation

- Air Circulation: 180m³/h
- Change of Air: Every 2 minutes
- Number of Fans: 2 top + 2 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 13W LED light strip at 2 sides as ambience light (motion sensor)
- 1 x 13W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: N/A

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: N/A

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Excluded; Upgradeable. Brand: Honeywell

Included Fixture(s)

N/A



Dimensions:





See more pictures
of Solo Plus



Cowork Pod accommodates 2 and as the model name suggests, it's suitable for co-working sessions without disturbances from outside the pod. The table ledge design sits 2 colleagues side by side, making discussions and sharing of computer screens convenient. With the ledge at counter height, it's also convenient to share info with another colleague who may be standing.

Size

Outer: W1750 x D1200 x H2200mm
Inner: W1620 x D1070 x H2070mm

Number of Pax

2

Weight

460kg

Ventilation

- Air Circulation: 180m³/h
- Change of Air: Every 2 minutes
- Number of Fans: 2 top + 2 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 9W LED light strip at 2 sides as ambience light (motion sensor)
- 1 x 9W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Included. Brand: Honeywell

Included Fixture(s)

1 x high table ledge with centre pole



Dimensions:





See more pictures
of Cowork



This pod shall be the talk of the town. A functional meeting space that features a dedicated area for mounting a monitor, with optimal viewing angle from either side of the pod. See that every meeting session comes to fruition with great ideas without the distraction from noises outside the pod, thanks to the sound isolation capability of the inner acoustic PET wall panels. Fits 2 to 4 pax.

Size

Outer: W2200 x D1200 x H2200mm
Inner: W2070 x D1070 x H2070mm

Number of Pax

2 - 4

Weight

510kg

Ventilation

- Air Circulation: 180m³/h
- Change of Air: Every 2 minutes
- Number of Fans: 2 top + 2 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 9W LED light strip at 2 sides as ambience light (motion sensor)
- 2 x 9W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output


2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Included. Brand: Honeywell

Included Fixture(s)

- 1 x table
- 1x screen mountable wall panel



Dimensions:





See more pictures
of Talk



The upsized version of the Talk Pod boasts a luxury of space, fitting 2 - 4 pax even more comfortably. The Talk Plus Pod retains the same great feature of having a dedicated position for a mounted monitor - wherever the 4 users of the pod are seated, the viewing experience remains optimum.

Size

Outer: W2200 x D1750 x H2200mm
Inner: W2070 x D1620 x H2070mm

Number of Pax

4

Weight

570kg

Ventilation

- Air Circulation: 360m³/h
- Change of Air: Every 1 minute
- Number of Fans: 4 top + 4 bottom
- Fan Speed: 900 rpm

Lighting

- 2 x 9W LED light strip at 2 sides as ambience light (motion sensor)
- 2 x 9W LED light strip in the middle as essential light (manual switch)

Motion Sensor

Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass

Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge

Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output


2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer


Included. Brand: Honeywell

Included Fixture(s)

- 1 x table
- 1x screen mountable wall panel



Dimensions:





See more pictures
of Talk Plus



Customise Your Pod Colours

With 8 external frame colours and 10 internal panel colours to choose from, you get 80 possible colour combinations per size - you are bound to find one that suits your office interior or corporate identity to a tee.



External Frame



Matte White



Metallic Silver



Matte Black



Red



Tangerine



Citrus Yellow



Pea Green



Summer Blue

Internal Panels



Light Caramel



Walnut



Silver Grey



Moonlight Ash



Sesame Black



Bright Red



Tangerine



Citrus Yellow



Fruity Green



Sky Blue




Scan to mix & match interactively

See your colour combinations come to life with a few clicks away.


Economic VS Standard

With the exception of *Relax* and *Solo Plus*, all our pod models come with two options - Economic or Standard. Consider these slight differences that can affect the sound insulation factor of the pod.




DOOR FRAME

The Economic option comes with a frameless door with tempered glass that looks pretty and less bulky, but the presence of obscure gaps can affect the soundproofing factor of the pod. Upgrade to the Standard option for a framed door with laminated tempered glass that seals off any gaps to minimise sound from escaping or entering.



DOOR HANDLE

Both options' door handles are made from stainless steel in hairline finish making them aesthetically attractive and scratch resistant - no more worries about colour chipping off. Equally as are these handles' grip and tension - making them more durable over the years than others.



DOOR HINGE

A quality door hinge is quintessential when a door is heavy in weight; at the same time, it has to be balanced with ease-of-use. Experience smoothness in motion every time you open or close the door. Even without upgrading to the Honeywell Auto Door Closer, Lull Pods door will never close with a slam regardless of the strength you apply - enjoy the presence and tranquility of our acoustic pods even when you're not within them! For an even sleeker aesthetics, upgrade to the Standard version's proprietary hinge which is not visible on the glass door.

Comparison Chart

 Phone Economic & Efficient Office	Size Outer: W950 x D950 x H2200mm Inner: W820 x D820 x H2070mm Weight 320kg Number of Pax 1	Ventilation • Air Circulation: 90m³/h • Change of Air: Every 1 minute • Number of Fans: 1 top + 1 bottom • Fan Speed: 900 rpm	Lighting • 2 x 5W LED light strip at 2 sides as ambience light (motion sensor) • 1 x 5W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds
 Solo Economic & Efficient Office	Size Outer: W1200 x D1200 x H2200mm Inner: W1070 x D1070 x H2070mm Weight 380kg Number of Pax 1	Ventilation • Air Circulation: 90m³/h • Change of Air: Every 2 minutes • Number of Fans: 1 top + 1 bottom • Fan Speed: 900 rpm	Lighting • 2 x 9W LED light strip at 2 sides as ambience light (motion sensor) • 1 x 9W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds
 3Relax Economic & Efficient Office	Size Outer: W1575 x D1200 x H2200mm Inner: W1445 x D1070 x H2070mm Weight 430kg Number of Pax 1	Ventilation • Air Circulation: 180m³/h • Change of Air: Every 1 minute • Number of Fans: 2 top + 2 bottom • Fan Speed: 900 rpm	Lighting • 2 x 9W LED light strip at 2 sides as ambience light (motion sensor) • 1 x 9W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds
 4Solo Plus Economic & Efficient Office	Size Outer: W1750 x D1750 x H2200mm Inner: W1620 x D1620 x H2070mm Weight 470kg Number of Pax 1	Ventilation • Air Circulation: 180m³/h • Change of Air: Every 2 minutes • Number of Fans: 2 top + 2 bottom • Fan Speed: 900 rpm	Lighting • 2 x 13W LED light strip at 2 sides as ambience light (motion sensor) • 1 x 13W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds
 5cowork Economic & Efficient Office	Size Outer: W1750 x D1200 x H2200mm Inner: W1620 x D1070 x H2070mm Weight 460kg Number of Pax 2	Ventilation • Air Circulation: 180m³/h • Change of Air: Every 2 minutes • Number of Fans: 2 top + 2 bottom • Fan Speed: 900 rpm	Lighting • 2 x 9W LED light strip at 2 sides as ambience light (motion sensor) • 1 x 9W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds
 6Talk Economic & Efficient Office	Size Outer: W2200 x D1200 x H2200mm Inner: W2070 x D1070 x H2070mm Weight 510kg Number of Pax 2 - 4	Ventilation • Air Circulation: 180m³/h • Change of Air: Every 2 minutes • Number of Fans: 2 top + 2 bottom • Fan Speed: 900 rpm	Lighting • 2 x 9W LED light strip at 2 sides as ambience light (motion sensor) • 2 x 9W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds
 7Talk Plus Economic & Efficient Office	Size Outer: W2200 x D1750 x H2200mm Inner: W2070 x D1620 x H2070mm Weight 570kg Number of Pax 4	Ventilation • Air Circulation: 360m³/h • Change of Air: Every 1 minute • Number of Fans: 4 top + 4 bottom • Fan Speed: 900 rpm	Lighting • 2 x 9W LED light strip at 2 sides as ambience light (motion sensor) • 2 x 9W LED light strip in the middle as essential light (manual switch)	Motion Sensor Motion activated ventilation fan and lighting, set at a default 5-minute delay before switching off automatically; adjustable delay timer with 2 other options of 45 seconds and 15 seconds

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Excluded; Upgradeable.
Brand: Honeywell

Included Fixture(s)
1 x high table ledge

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Excluded; Upgradeable.
Brand: Honeywell

Included Fixture(s)
1 x table ledge

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: N/A
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: N/A
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Excluded; Upgradeable.
Brand: Honeywell

Included Fixture(s)
N/A

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: N/A
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: N/A
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Excluded; Upgradeable.
Brand: Honeywell

Included Fixture(s)
N/A

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Included.
Brand: Honeywell

Included Fixture(s)
1 x high table ledge with centre pole

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Included.
Brand: Honeywell

Included Fixture(s)
1 x table
1 x screen mountable wall panel

External Side Panels & Internal Walls

- Colour customisable external side panels and frames
- Colour customisable internal walls in acoustic PET fire retardant panels

Rear Glass

Economic option: 12mm tempered glass
Standard option: 12mm laminated tempered glass for superior sound reduction

Door

Economic option: Recessed frameless door of 10mm thickness in single glazed tempered glass; with frameless pivot hinge
Standard option: Flushed frame door of 10mm thickness in laminated tempered glass for superior sound reduction; with circular proprietary pivot hinge

Integrated Panel With Power Output

2 x universal electrical sockets; 1 x USB Type-A and 1 x USB Type-C charging ports

Automatic Door Closer

Included.
Brand: Honeywell

Included Fixture(s)
1 x table
1 x screen mountable wall panel

LULL

PRIVACY POD



GOT QUESTIONS?

We've compiled a series of FAQs.
Scan this QR code to find out more.



Address

110 Eunos Ave 7,
Comfort Design Building
Singapore 409573
Levels 1, M, 2 & 3 (37,000 sq ft)

Showroom Number

+65 6747 4809

Office Number

+65 6747 7217

Showroom Hours

Mon to Sat: 9am - 6pm
Sun & (selected) PH: 10am - 6pm

Email

sales@comfortfurniture.com.sg

Get Connected With Us



Visit our 'Contact Us'
page



@comfortdesignfurni



@comfortdesignfurni



@comfortdesignfurni